

Model PORON 4701-40

File Number: MH15464

COMPANY

ROGERS CORP PORON MATERIALS UNIT

245 Woodstock Rd
Woodstock, CT 06281-1815 United States

MODEL INFO

PORON 4701-40

GASKET MATERIALS	VALUE
Material Type	Open cell (microcellular) polyurethane foam gasket material
Enclosure Standards ANSI/UL50 and 50E	Yes
Compression Ratings	Continuous Compression
Enclosure Ratings	2, 3, 3R, 3RX, 3S, 3SX, 4, 4X, 5, 6, 6P
Additional Standards	ANSI/UL 508
Minimum Ambient	-40 °C
Maximum Ambient	90 °C

The final acceptance of a gasket material in a specific end-use application is dependent on its installation and use, and may require additional evaluation with respect to ingress or leakage of solids (such as dusts), liquids or gases, or other features dependent on the design and construction of the equipment in which it is used.

Report Date: 1996-09-19



The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."